-HARISON-

SON

o

NOT JUST BACKUP WE PROVIDE STRENGTH

-HARISON

HASHISON

SILENT FEATURES OF OUR GENERATORS:

- **OPERATABLE FROM MOBILE**
- ACOUSTIC ENCLOSURE
- ELECTRONIC GOVERNER
- SILENT & COMPACT VOLTEMETER & HOURMETER

0

Toll Free: 1800 121 5351

0

140 KVA

MORE THAN JUST BACKUP



NEVER HALT YOUR OFFICE OPERATIONS DUE TO POWER

GENERATOR SET SPECIFICATIONS	
PRIME POWER RATING	140
KW	112
PHASE	3P
RATED CURRENT	196
GEN SET MODEL	HG140 KVA
VOLTAGE	415(3PHASE)
POWER FACTOR	0.8
FUEL CONSUMPTION@100%	28.6 litres/hour
FUEL CONSUMPTION@75%	21.4 litres/hour
FUEL CONSUMPTION@50%	14.4 litres/hour
BATTERY STARTING VOLTAGE	24 VDC
ENGINESPECIFICATIONS	HARISON ENGINE
ENGINE MODEL	HG12R14M16N.6DTAA8.9 G31
CAPACITY OF ENGINE	8819
RATED OUTPUT @100%LOAD	185 kw
NUMBER OF CYLINDERS	6
NO OF STROKES	4
BORE*STROKE	111*144
RATED SPEED	1500
COOLING SYSTEM	Liquid cooled
TYPE OF GOVERNER	Electronic
BATTERY CAPACITY	100 AH X 2
OVERLOAD CAPACITY	10% Overloading is allowed after 10 Hours of continuous
	running
OIL SUMP CAPACITY	17 LITRES
ALTERNATOR SPECIFICATIONS MAKE	Lever Comer Maggalta (Stamford
RATING	Leroy Somer/Meccalte/Stamford 140KVA
POWER FACTOR	0.8
ТҮРЕ	Brushless-IP 23 with AVR
VOLTAGE, VOLTS	415(3 Phase)
RATED SPEED	1500 rpm
FREQUENCY,HZ	50Hz
VOLTAGE REGULATIONS	+/-1%
CLASS OF INSULATION	H-Class
CONTROL PANEL	With both Inbuilt ATS/AMF and Manual Options
WAVE FORM DISTORTION/TOTAL HARMONIC DISTORTION	No Load<1.5% Non distortion Balanced Linear Load 5%
TELEPHONIC HARMONIC FACTOR	<2%
	~~ /0
ACOUSTICS SPECIFICATIONS	
NOISE LEVEL	<75DBA @1meter distance
LENGTH	3500
WIDTH	1300
HEIGHT	1718
FUEL TANK CAPACITY	Equal to or more than 250 Litres
APPROX NET WEIGHT	2300KG

* Automatic change over switch extra.
* Fuel consumptions are noted at standard conditions and may vary than mentioned.
* FOR

MORE THAN JUST BACKUP

HARISON J SERIES WITH IOT REMOTE OPERATING DEVICE

0

BUY NOW

0



HARISON GENERATORS PVT. LTD. Plot No. C-58 Focal Point Industrial Area, Patiala 147001, Punjab, India www.harisongenerators.com | info@harisongenerators.com TOII Free: 1800 121 5351

In association

-HARISON

-(v)

10

00000

HARISON GENERATORS PVT. LTD.

415 wer 15 w

requency

1500 📥

Oil Pressure

50 Hz

erviceho

120

90°

50 .

Last Updat

DG

15

0.989 Energy

15 Kan Fuel Level 1500 L

Voltage

12 v

un hour

240



